



4.1. General




Title		
<Title>		
Size	Document Number	Rev
A	<Doc>	<RevCode>
Date:	Friday, April 25, 2014	Sheet 1 of 10

4.2.1. Connecting the E663 to a standard RJ45 socket




Title <Title>			
Size A	Document Number <Doc>		Rev AA
Date:	Friday, April 25, 2014	Sheet 2 of 10	

4.1.1. Power supply



										A
Title <Title>										
Size A		Document Number <Doc>							Rev <RevCode>	
Date:		Friday, April 25, 2014				Sheet		3	of 10	


4.2.3. Power Over Ethernet (POE)



Title		
<Title>		
Size	Document Number	Rev
A	<Doc>	<RevCode>
Date:	Friday, April 25, 2014	Sheet 4 of 10


4.2.4. Powered by the POE, or external power

automatic power switch





OR

poe supply only






external power supply only




Title		
<Title>		
Size	Document Number	Rev
A	<Doc>	<RevCode>
Date:	Friday, April 25, 2014	Sheet 5 of 10

4.3. LED drivers





Title		
<Title>		
Size	Document Number	Rev
A	<Doc>	<RevCode>
Date:	Friday, April 25, 2014	Sheet 6 of 10

4.4. Buzzer




Title			
<Title>			
Size	Document Number		Rev
A	<Doc>		<RevCode>
Date:	Friday, April 25, 2014		Sheet 7 of 10

4.5. Serial interface




				A
Title <Title>				
Size A	Document Number <Doc>		Rev <RevCode>	
Date: Friday, April 25, 2014 Sheet 8 of 10				

4.6.1. Schematics usb



Title			
<Title>			
Size	Document Number		Rev
A	<Doc>		<RevCode>
Date:	Friday, April 25, 2014		Sheet 9 of 10

4.6.2. Powered by the bus, or external power



Title			
<Title>			
Size	Document Number		Rev
A	<Doc>		<RevCode>
Date:	Friday, April 25, 2014		Sheet 10 of 10